

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	3	(438/268).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:27			
2	BRS	L2	0	(438/198).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:28			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors	Errors
3	BRS	L3	0	(438/158).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:28			
4	BRS	L4	2	(438/149).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:28			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
5	BRS	L5	0	(438/503).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:29			
6	BRS	L6	1	(438/507).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:29			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
7	BRS	L7	3	(438/273).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:29			
8	BRS	L8	2	(438/285).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:30			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
9	BRS	L9	69	("438"/\$).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:30			
10	BRS	L10	131	("257"/\$).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate) and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:31			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L11	59	("257"/\$).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:59			
12	BRS	L13	1	(257/77).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 03:59			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
13	BRS	L14	1	(257/80).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:00			
14	BRS	L15	2	(257/280).cccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:00			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
15	BRS	L16	1	(257/401).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:00			
16	BRS	L12	32	("438"/\$).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:01			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Com men ts	Er ro r De fi ni ti on	Er ro rs
17	BRS	L18	4	(257/E21.054).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:08			
18	BRS	L19	3	(257/E21.06).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:08			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
19	BRS	L20	3	(257/E21.062).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:08			
20	BRS	L21	3	(257/E21.064).ccls. and (silicon or substrate) with (angle or inclin\$5 or slant\$4) with ("100" or "010" or "001") with degree and (carrier or electron or hole or mobility) with ("100" or "010" or "001") and step with (silicon or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/14 04:08			